



FAST CAR CHARGER FCC9
User manual
TLL151281



INTO YOUR FUTURE

SPECIFICATIONS:

Input: DC 12-24V

Total output: 9A

Total power: 56W

Output USB 1 (QC 3.0): 5V/3A, 9V/2A, 12V/1.5A
(18W max)

Output USB 2 (QC 3.0): 5V/3A, 9V/2A, 12V/1.5A
(18W max)

Output USB-C (PD): 5V/3A, 9V/2.22A, 12V/1.67A
(20W max)

Safety protections: Short circuit, overcurrent,
overvoltage
and overheating

Size: 62×36×25mm

Weight: 36g

Material: PC + Aluminum

Package includes: 1 x Fast car charger FCC9, 1 x
Manual

INSTRUCTIONS:

1. Insert the car charger into the car's charging port.
2. Connect one end of the charging cable to the device's charging port.
3. Connect the other end of the cable to one of the charger's USB or Type-C port
4. Disconnect the device when the charging is complete.

Attention

- The charger is not waterproof; keep the charger away from liquids and external heat.
- The charger can get a bit warm during charging.

Disposal and recycling information



The crossed-out wheeled-bin symbol on your product, battery, literature or packaging reminds

you that all electronic products and batteries must be taken to separate waste collection points at the end of their working lives; they must not be disposed of in the normal waste stream with household garbage.

It is the responsibility of the user to dispose of the equipment using a designated collection point or service for separate recycling of waste electrical and electronic equipment (WEEE) and batteries according to local laws.

Proper collection and recycling of your equipment helps ensure EEE waste is recycled in a manner that conserves valuable materials and protects human health and the environment, improper handling, accidental breakage, damage, and/or improper recycling at the end of its life may be harmful for health and environment.